

Lab 35 00 20	Lab 85 00 60	Lab 80 -10 -20	Lab 75 -20 00	Lab 75 10 -10	Lab 70 -10 70
Lab 35 00 10	Lab 85 00 50	Lab 80 00 80	Lab 75 -20 -10	Lab 75 10 -20	Lab 70 -10 60
Lab 35 00 00	Lab 85 00 40	Lab 80 00 70	Lab 75 -20 -20	Lab 75 20 70	Lab 70 -10 50
Lab 30 -10 50	Lab 85 00 30	Lab 80 00 60	Lab 75 -20 -30	Lab 75 20 60	Lab 70 -10 40
Lab 30 -10 40	Lab 85 00 20	Lab 80 00 50	Lab 75 -10 70	Lab 75 20 50	Lab 70 -10 30
Lab 30 -10 30	Lab 85 00 10	Lab 80 00 40	Lab 75 -10 60	Lab 75 20 40	Lab 70 -10 20
Lab 30 -10 20	Lab 85 00 00	Lab 80 00 30	Lab 75 -10 50	Lab 75 20 30	Lab 70 -10 10
Lab 30 -10 10	Lab 85 00 -10	Lab 80 00 20	Lab 75 -10 40	Lab 75 20 20	Lab 70 -10 00
Lab 30 -10 00	Lab 85 10 40	Lab 80 00 10	Lab 75 -10 30	Lab 75 20 10	Lab 70 -10 -10
Lab 30 -10 -10	Lab 85 10 30	Lab 80 00 00	Lab 75 -10 20	Lab 75 20 00	Lab 70 -10 -20
Lab 30 00 60	Lab 85 10 20	Lab 80 00 -10	Lab 75 -10 10	Lab 75 20 -10	Lab 70 -10 -30
Lab 30 00 50	Lab 85 10 10	Lab 80 00 -20	Lab 75 -10 00	Lab 75 30 10	Lab 70 00 70
Lab 30 00 40	Lab 85 10 00	Lab 80 10 80	Lab 75 -10 -10	Lab 75 30 00	Lab 70 00 60
Lab 30 00 30	Lab 85 10 -10	Lab 80 10 70	Lab 75 -10 -20	Lab 75 30 -10	Lab 70 00 50
Lab 30 00 20	Lab 85 20 00	Lab 80 10 60	Lab 75 00 70	Lab 70 -30 60	Lab 70 00 40
Lab 30 00 10	Lab 80 -20 60	Lab 80 10 50	Lab 75 00 60	Lab 70 -30 50	Lab 70 00 30
Lab 30 00 00	Lab 80 -20 50	Lab 80 10 40	Lab 75 00 50	Lab 70 -30 40	Lab 70 00 20
Lab 30 00 -10	Lab 80 -20 40	Lab 80 10 30	Lab 75 00 40	Lab 70 -30 30	Lab 70 00 10
Lab 30 10 10	Lab 80 -20 30	Lab 80 10 20	Lab 75 00 30	Lab 70 -30 20	Lab 70 00 00
Lab 30 10 00	Lab 80 -20 20	Lab 80 10 10	Lab 75 00 20	Lab 70 -30 10	Lab 70 00 -10
Lab 85 -10 80	Lab 80 -20 10	Lab 80 10 00	Lab 75 00 10	Lab 70 -30 00	Lab 70 00 -20
Lab 85 -10 70	Lab 80 -20 00	Lab 80 10 -10	Lab 75 00 00	Lab 70 -30 -10	Lab 70 10 70
Lab 85 -10 60	Lab 80 -20 -10	Lab 80 20 20	Lab 75 00 -10	Lab 70 -30 -20	Lab 70 10 60
Lab 85 -10 50	Lab 80 -10 80	Lab 80 20 10	Lab 75 00 -20	Lab 70 -20 60	Lab 70 10 50
Lab 85 -10 40	Lab 80 -10 70	Lab 80 20 00	Lab 75 10 80	Lab 70 -20 50	Lab 70 10 40
Lab 85 -10 30	Lab 80 -10 60	Lab 80 20 -10	Lab 75 10 70	Lab 70 -20 40	Lab 70 10 30
Lab 85 -10 20	Lab 80 -10 50	Lab 75 -20 70	Lab 75 10 60	Lab 70 -20 30	Lab 70 10 20
Lab 85 -10 10	Lab 80 -10 40	Lab 75 -20 60	Lab 75 10 50	Lab 70 -20 20	Lab 70 10 10
Lab 85 -10 00	Lab 80 -10 30	Lab 75 -20 50	Lab 75 10 40	Lab 70 -20 10	Lab 70 10 00
Lab 85 -10 -10	Lab 80 -10 20	Lab 75 -20 40	Lab 75 10 30	Lab 70 -20 00	Lab 70 10 -10
Lab 85 00 90	Lab 80 -10 10	Lab 75 -20 30	Lab 75 10 20	Lab 70 -20 -10	Lab 70 10 -20
Lab 85 00 80	Lab 80 -10 00	Lab 75 -20 20	Lab 75 10 10	Lab 70 -20 -20	Lab 70 20 70
Lab 85 00 70	Lab 80 -10 -10	Lab 75 -20 10	Lab 75 10 00	Lab 70 -20 -30	Lab 70 20 60

CIE-LAB

Colour Mode: Lab

This file contains CIELAB measurement values under the following conditions: Light source D65, 10° observer

Lab 70 20 50	Lab 65 -30 -30	Lab 65 10 60	Lab 65 40 -10	Lab 60 -20 -10	Lab 60 10 -30
Lab 70 20 40	Lab 65 -30 -40	Lab 65 10 50	Lab 65 50 00	Lab 60 -20 -20	Lab 60 20 60
Lab 70 20 30	Lab 65 -20 60	Lab 65 10 40	Lab 60 -50 40	Lab 60 -20 -30	Lab 60 20 50
Lab 70 20 20	Lab 65 -20 50	Lab 65 10 30	Lab 60 -50 30	Lab 60 -20 -40	Lab 60 20 40
Lab 70 20 10	Lab 65 -20 40	Lab 65 10 20	Lab 60 -50 20	Lab 60 -10 50	Lab 60 20 30
Lab 70 20 00	Lab 65 -20 30	Lab 65 10 10	Lab 60 -50 10	Lab 60 -10 40	Lab 60 20 20
Lab 70 20 -10	Lab 65 -20 20	Lab 65 10 00	Lab 60 -40 50	Lab 60 -10 30	Lab 60 20 10
Lab 70 20 -20	Lab 65 -20 10	Lab 65 10 -10	Lab 60 -40 40	Lab 60 -10 20	Lab 60 20 00
Lab 70 30 60	Lab 65 -20 00	Lab 65 10 -20	Lab 60 -40 30	Lab 60 -10 10	Lab 60 20 -10
Lab 70 30 50	Lab 65 -20 -10	Lab 65 20 60	Lab 60 -40 20	Lab 60 -10 00	Lab 60 20 -20
Lab 70 30 40	Lab 65 -20 -20	Lab 65 20 50	Lab 60 -40 10	Lab 60 -10 -10	Lab 60 30 60
Lab 70 30 30	Lab 65 -20 -30	Lab 65 20 40	Lab 60 -40 00	Lab 60 -10 -20	Lab 60 30 50
Lab 70 30 20	Lab 65 -20 -40	Lab 65 20 30	Lab 60 -40 -10	Lab 60 -10 -30	Lab 60 30 40
Lab 70 30 10	Lab 65 -10 60	Lab 65 20 20	Lab 60 -40 -20	Lab 60 -10 -40	Lab 60 30 30
Lab 70 30 00	Lab 65 -10 50	Lab 65 20 10	Lab 60 -40 -30	Lab 60 00 60	Lab 60 30 20
Lab 70 30 -10	Lab 65 -10 40	Lab 65 20 00	Lab 60 -40 -40	Lab 60 00 50	Lab 60 30 10
Lab 70 40 00	Lab 65 -10 30	Lab 65 20 -10	Lab 60 -30 50	Lab 60 00 40	Lab 60 30 00
Lab 70 40 -10	Lab 65 -10 20	Lab 65 20 -20	Lab 60 -30 40	Lab 60 00 30	Lab 60 30 -10
Lab 65 -40 50	Lab 65 -10 10	Lab 65 30 70	Lab 60 -30 30	Lab 60 00 20	Lab 60 30 -20
Lab 65 -40 40	Lab 65 -10 00	Lab 65 30 60	Lab 60 -30 20	Lab 60 00 10	Lab 60 40 60
Lab 65 -40 30	Lab 65 -10 -10	Lab 65 30 50	Lab 60 -30 10	Lab 60 00 00	Lab 60 40 50
Lab 65 -40 20	Lab 65 -10 -20	Lab 65 30 40	Lab 60 -30 00	Lab 60 00 -10	Lab 60 40 40
Lab 65 -40 10	Lab 65 -10 -30	Lab 65 30 30	Lab 60 -30 -10	Lab 60 00 -20	Lab 60 40 30
Lab 65 -40 00	Lab 65 00 60	Lab 65 30 20	Lab 60 -30 -20	Lab 60 00 -30	Lab 60 40 20
Lab 65 -40 -10	Lab 65 00 50	Lab 65 30 10	Lab 60 -30 -30	Lab 60 10 60	Lab 60 40 10
Lab 65 -30 50	Lab 65 00 40	Lab 65 30 00	Lab 60 -30 -40	Lab 60 10 50	Lab 60 40 00
Lab 65 -30 40	Lab 65 00 30	Lab 65 30 -10	Lab 60 -30 -50	Lab 60 10 40	Lab 60 40 -10
Lab 65 -30 30	Lab 65 00 20	Lab 65 40 50	Lab 60 -20 50	Lab 60 10 30	Lab 60 50 40
Lab 65 -30 20	Lab 65 00 10	Lab 65 40 40	Lab 60 -20 40	Lab 60 10 20	Lab 60 50 30
Lab 65 -30 10	Lab 65 00 00	Lab 65 40 30	Lab 60 -20 30	Lab 60 10 10	Lab 60 50 20
Lab 65 -30 00	Lab 65 00 -10	Lab 65 40 20	Lab 60 -20 20	Lab 60 10 00	Lab 60 50 10
Lab 65 -30 -10	Lab 65 00 -20	Lab 65 40 10	Lab 60 -20 10	Lab 60 10 -10	Lab 60 50 00
Lab 65 -30 -20	Lab 65 00 -30	Lab 65 40 00	Lab 60 -20 00	Lab 60 10 -20	Lab 60 50 -10

CIE-LAB

Colour Mode: Lab

This file contains CIELAB measurement values under the following conditions: Light source D65, 10° observer

Lab 55 -60 30	Lab 55 -20 10	Lab 55 10 -20	Lab 55 50 -10	Lab 50 -30 -20	Lab 50 10 50
Lab 55 -60 20	Lab 55 -20 00	Lab 55 10 -30	Lab 55 60 40	Lab 50 -30 -30	Lab 50 10 40
Lab 55 -50 40	Lab 55 -20 -10	Lab 55 20 50	Lab 55 60 30	Lab 50 -30 -40	Lab 50 10 30
Lab 55 -50 30	Lab 55 -20 -20	Lab 55 20 40	Lab 55 60 20	Lab 50 -30 -50	Lab 50 10 20
Lab 55 -50 20	Lab 55 -20 -30	Lab 55 20 30	Lab 55 60 10	Lab 50 -20 40	Lab 50 10 10
Lab 55 -50 10	Lab 55 -20 -40	Lab 55 20 20	Lab 55 60 00	Lab 50 -20 30	Lab 50 10 00
Lab 55 -50 00	Lab 55 -10 50	Lab 55 20 10	Lab 55 60 -10	Lab 50 -20 20	Lab 50 10 -10
Lab 55 -50 -10	Lab 55 -10 40	Lab 55 20 00	Lab 50 -60 30	Lab 50 -20 10	Lab 50 10 -20
Lab 55 -50 -20	Lab 55 -10 30	Lab 55 20 -10	Lab 50 -60 20	Lab 50 -20 00	Lab 50 10 -30
Lab 55 -50 -30	Lab 55 -10 20	Lab 55 20 -20	Lab 50 -60 10	Lab 50 -20 -10	Lab 50 20 50
Lab 55 -40 40	Lab 55 -10 10	Lab 55 20 -30	Lab 50 -60 00	Lab 50 -20 -20	Lab 50 20 40
Lab 55 -40 30	Lab 55 -10 00	Lab 55 30 50	Lab 50 -60 -10	Lab 50 -20 -30	Lab 50 20 30
Lab 55 -40 20	Lab 55 -10 -10	Lab 55 30 40	Lab 50 -50 30	Lab 50 -20 -40	Lab 50 20 20
Lab 55 -40 10	Lab 55 -10 -20	Lab 55 30 30	Lab 50 -50 20	Lab 50 -20 -50	Lab 50 20 10
Lab 55 -40 00	Lab 55 -10 -30	Lab 55 30 20	Lab 50 -50 10	Lab 50 -10 40	Lab 50 20 00
Lab 55 -40 -10	Lab 55 -10 -40	Lab 55 30 10	Lab 50 -50 00	Lab 50 -10 30	Lab 50 20 -10
Lab 55 -40 -20	Lab 55 00 50	Lab 55 30 00	Lab 50 -50 -10	Lab 50 -10 20	Lab 50 20 -20
Lab 55 -40 -30	Lab 55 00 40	Lab 55 30 -10	Lab 50 -50 -20	Lab 50 -10 10	Lab 50 20 -30
Lab 55 -40 -40	Lab 55 00 30	Lab 55 30 -20	Lab 50 -50 -30	Lab 50 -10 00	Lab 50 30 50
Lab 55 -40 -50	Lab 55 00 20	Lab 55 40 50	Lab 50 -40 30	Lab 50 -10 -10	Lab 50 30 40
Lab 55 -30 40	Lab 55 00 10	Lab 55 40 40	Lab 50 -40 20	Lab 50 -10 -20	Lab 50 30 30
Lab 55 -30 30	Lab 55 00 00	Lab 55 40 30	Lab 50 -40 10	Lab 50 -10 -30	Lab 50 30 20
Lab 55 -30 20	Lab 55 00 -10	Lab 55 40 20	Lab 50 -40 00	Lab 50 -10 -40	Lab 50 30 10
Lab 55 -30 10	Lab 55 00 -20	Lab 55 40 10	Lab 50 -40 -10	Lab 50 00 50	Lab 50 30 00
Lab 55 -30 00	Lab 55 00 -30	Lab 55 40 00	Lab 50 -40 -20	Lab 50 00 40	Lab 50 30 -10
Lab 55 -30 -10	Lab 55 00 -40	Lab 55 40 -10	Lab 50 -40 -30	Lab 50 00 30	Lab 50 30 -20
Lab 55 -30 -20	Lab 55 10 50	Lab 55 40 -20	Lab 50 -40 -40	Lab 50 00 20	Lab 50 30 -30
Lab 55 -30 -30	Lab 55 10 40	Lab 55 50 50	Lab 50 -30 40	Lab 50 00 10	Lab 50 40 50
Lab 55 -30 -40	Lab 55 10 30	Lab 55 50 40	Lab 50 -30 30	Lab 50 00 00	Lab 50 40 40
Lab 55 -30 -50	Lab 55 10 20	Lab 55 50 30	Lab 50 -30 20	Lab 50 00 -10	Lab 50 40 30
Lab 55 -20 40	Lab 55 10 10	Lab 55 50 20	Lab 50 -30 10	Lab 50 00 -20	Lab 50 40 20
Lab 55 -20 30	Lab 55 10 00	Lab 55 50 10	Lab 50 -30 00	Lab 50 00 -30	Lab 50 40 10
Lab 55 -20 20	Lab 55 10 -10	Lab 55 50 00	Lab 50 -30 -10	Lab 50 00 -40	Lab 50 40 00

CIE-LAB

Colour Mode: Lab

This file contains CIELAB measurement values under the following conditions: Light source D65, 10° observer

Lab 50 40 -10	Lab 45 -40 -20	Lab 45 00 00	Lab 45 40 10	Lab 40 -30 00	Lab 40 10 10
Lab 50 40 -20	Lab 45 -40 -30	Lab 45 00 -10	Lab 45 40 00	Lab 40 -30 -10	Lab 40 10 00
Lab 50 50 50	Lab 45 -30 30	Lab 45 00 -20	Lab 45 40 -10	Lab 40 -30 -20	Lab 40 10 -10
Lab 50 50 40	Lab 45 -30 20	Lab 45 00 -30	Lab 45 40 -20	Lab 40 -30 -30	Lab 40 10 -20
Lab 50 50 30	Lab 45 -30 10	Lab 45 00 -40	Lab 45 50 40	Lab 40 -20 30	Lab 40 10 -30
Lab 50 50 20	Lab 45 -30 00	Lab 45 10 40	Lab 45 50 30	Lab 40 -20 20	Lab 40 10 -40
Lab 50 50 10	Lab 45 -30 -10	Lab 45 10 30	Lab 45 50 20	Lab 40 -20 10	Lab 40 20 40
Lab 50 50 00	Lab 45 -30 -20	Lab 45 10 20	Lab 45 50 10	Lab 40 -20 00	Lab 40 20 30
Lab 50 50 -10	Lab 45 -30 -30	Lab 45 10 10	Lab 45 50 00	Lab 40 -20 -10	Lab 40 20 20
Lab 50 50 -20	Lab 45 -30 -40	Lab 45 10 00	Lab 45 50 -10	Lab 40 -20 -20	Lab 40 20 10
Lab 50 60 50	Lab 45 -20 30	Lab 45 10 -10	Lab 45 50 -20	Lab 40 -20 -30	Lab 40 20 00
Lab 50 60 40	Lab 45 -20 20	Lab 45 10 -20	Lab 45 60 50	Lab 40 -20 -40	Lab 40 20 -10
Lab 50 60 30	Lab 45 -20 10	Lab 45 10 -30	Lab 45 60 40	Lab 40 -10 30	Lab 40 20 -20
Lab 50 60 20	Lab 45 -20 00	Lab 45 10 -40	Lab 45 60 30	Lab 40 -10 20	Lab 40 20 -30
Lab 50 60 10	Lab 45 -20 -10	Lab 45 20 40	Lab 45 60 20	Lab 40 -10 10	Lab 40 20 -40
Lab 50 60 00	Lab 45 -20 -20	Lab 45 20 30	Lab 45 60 10	Lab 40 -10 00	Lab 40 30 40
Lab 50 60 -10	Lab 45 -20 -30	Lab 45 20 20	Lab 45 60 00	Lab 40 -10 -10	Lab 40 30 30
Lab 50 70 30	Lab 45 -20 -40	Lab 45 20 10	Lab 45 60 -10	Lab 40 -10 -20	Lab 40 30 20
Lab 50 70 20	Lab 45 -20 -50	Lab 45 20 00	Lab 45 70 40	Lab 40 -10 -30	Lab 40 30 10
Lab 50 70 10	Lab 45 -10 40	Lab 45 20 -10	Lab 45 70 30	Lab 40 -10 -40	Lab 40 30 00
Lab 50 70 00	Lab 45 -10 30	Lab 45 20 -20	Lab 45 70 20	Lab 40 -10 -50	Lab 40 30 -10
Lab 50 70 -10	Lab 45 -10 20	Lab 45 20 -30	Lab 45 70 10	Lab 40 00 30	Lab 40 30 -20
Lab 45 -60 20	Lab 45 -10 10	Lab 45 30 40	Lab 45 70 00	Lab 40 00 20	Lab 40 30 -30
Lab 45 -60 10	Lab 45 -10 00	Lab 45 30 30	Lab 45 70 -10	Lab 40 00 10	Lab 40 40 40
Lab 45 -50 20	Lab 45 -10 -10	Lab 45 30 20	Lab 40 -50 20	Lab 40 00 00	Lab 40 40 30
Lab 45 -50 10	Lab 45 -10 -20	Lab 45 30 10	Lab 40 -50 10	Lab 40 00 -10	Lab 40 40 20
Lab 45 -50 00	Lab 45 -10 -30	Lab 45 30 00	Lab 40 -40 20	Lab 40 00 -20	Lab 40 40 10
Lab 45 -50 -10	Lab 45 -10 -40	Lab 45 30 -10	Lab 40 -40 10	Lab 40 00 -30	Lab 40 40 00
Lab 45 -40 30	Lab 45 -10 -50	Lab 45 30 -20	Lab 40 -40 00	Lab 40 00 -40	Lab 40 40 -10
Lab 45 -40 20	Lab 45 00 40	Lab 45 30 -30	Lab 40 -40 -10	Lab 40 00 -50	Lab 40 40 -20
Lab 45 -40 10	Lab 45 00 30	Lab 45 40 40	Lab 40 -40 -20	Lab 40 10 40	Lab 40 40 -30
Lab 45 -40 00	Lab 45 00 20	Lab 45 40 30	Lab 40 -30 20	Lab 40 10 30	Lab 40 50 40
Lab 45 -40 -10	Lab 45 00 10	Lab 45 40 20	Lab 40 -30 10	Lab 40 10 20	Lab 40 50 30

CIE-LAB

Colour Mode: Lab

This file contains CIELAB measurement values under the following conditions: Light source D65, 10° observer

Lab 40 50 20	Lab 35 00 30	Lab 35 40 30	Lab 30 00 -30	Lab 30 50 00	Lab 25 40 10
Lab 40 50 10	Lab 35 00 20	Lab 35 40 20	Lab 30 00 -40	Lab 30 50 -10	Lab 25 40 00
Lab 40 50 00	Lab 35 00 10	Lab 35 40 10	Lab 30 10 20	Lab 25 -20 10	Lab 25 40 -10
Lab 40 50 -10	Lab 35 00 00	Lab 35 40 00	Lab 30 10 10	Lab 25 -20 00	Lab 20 -20 00
Lab 40 50 -20	Lab 35 00 -10	Lab 35 40 -10	Lab 30 10 00	Lab 25 -20 -10	Lab 20 -10 10
Lab 40 60 40	Lab 35 00 -20	Lab 35 40 -20	Lab 30 10 -10	Lab 25 -10 10	Lab 20 -10 00
Lab 40 60 30	Lab 35 00 -30	Lab 35 40 -30	Lab 30 10 -20	Lab 25 -10 00	Lab 20 -10 -10
Lab 40 60 20	Lab 35 00 -40	Lab 35 50 30	Lab 30 10 -30	Lab 25 -10 -10	Lab 20 00 10
Lab 40 60 10	Lab 35 00 -50	Lab 35 50 20	Lab 30 10 -40	Lab 25 -10 -20	Lab 20 00 00
Lab 40 60 00	Lab 35 10 30	Lab 35 50 10	Lab 30 10 -50	Lab 25 00 10	Lab 20 00 -10
Lab 40 60 -10	Lab 35 10 20	Lab 35 50 00	Lab 30 20 20	Lab 25 00 00	Lab 20 00 -20
Lab 40 60 -20	Lab 35 10 10	Lab 35 50 -10	Lab 30 20 10	Lab 25 00 -10	Lab 20 10 10
Lab 35 -40 20	Lab 35 10 00	Lab 35 50 -20	Lab 30 20 00	Lab 25 00 -20	Lab 20 10 00
Lab 35 -40 10	Lab 35 10 -10	Lab 35 50 -30	Lab 30 20 -10	Lab 25 00 -30	Lab 20 10 -10
Lab 35 -40 00	Lab 35 10 -20	Lab 30 -30 10	Lab 30 20 -20	Lab 25 10 20	Lab 20 10 -20
Lab 35 -30 20	Lab 35 10 -30	Lab 30 -30 00	Lab 30 20 -30	Lab 25 10 10	Lab 20 20 10
Lab 35 -30 10	Lab 35 10 -40	Lab 30 -30 -10	Lab 30 20 -40	Lab 25 10 00	Lab 20 20 00
Lab 35 -30 00	Lab 35 20 30	Lab 30 -20 20	Lab 30 30 30	Lab 25 10 -10	Lab 20 20 -10
Lab 35 -30 -10	Lab 35 20 20	Lab 30 -20 10	Lab 30 30 20	Lab 25 10 -20	Lab 20 20 -20
Lab 35 -30 -20	Lab 35 20 10	Lab 30 -20 00	Lab 30 30 10	Lab 25 10 -30	Lab 20 30 00
Lab 35 -20 20	Lab 35 20 00	Lab 30 -20 -10	Lab 30 30 00	Lab 25 20 20	Lab 20 30 -10
Lab 35 -20 10	Lab 35 20 -10	Lab 30 -20 -20	Lab 30 30 -10	Lab 25 20 10	Lab 15 -10 00
Lab 35 -20 00	Lab 35 20 -20	Lab 30 -10 20	Lab 30 30 -20	Lab 25 20 00	Lab 15 00 00
Lab 35 -20 -10	Lab 35 20 -30	Lab 30 -10 10	Lab 30 30 -30	Lab 25 20 -10	Lab 15 00 -10
Lab 35 -20 -20	Lab 35 20 -40	Lab 30 -10 00	Lab 30 30 -40	Lab 25 20 -20	Lab 15 10 00
Lab 35 -20 -30	Lab 35 30 30	Lab 30 -10 -10	Lab 30 40 30	Lab 25 20 -30	Lab 15 10 -10
Lab 35 -10 20	Lab 35 30 20	Lab 30 -10 -20	Lab 30 40 20	Lab 25 20 -40	Lab 15 20 00
Lab 35 -10 10	Lab 35 30 10	Lab 30 -10 -30	Lab 30 40 10	Lab 25 30 20	Lab 10 00 00
Lab 35 -10 00	Lab 35 30 00	Lab 30 00 20	Lab 30 40 00	Lab 25 30 10	Lab 5 00 00
Lab 35 -10 -10	Lab 35 30 -10	Lab 30 00 10	Lab 30 40 -10	Lab 25 30 00	
Lab 35 -10 -20	Lab 35 30 -20	Lab 30 00 00	Lab 30 40 -20	Lab 25 30 -10	
Lab 35 -10 -30	Lab 35 30 -30	Lab 30 00 -10	Lab 30 40 -30	Lab 25 30 -20	
Lab 35 -10 -40	Lab 35 30 -40	Lab 30 00 -20	Lab 30 50 10	Lab 25 30 -30	

CIE-LAB

Colour Mode: Lab

This file contains CIELAB measurement values under the following conditions: Light source D65, 10° observer